Revision 1 Date: 18 July 2022

SECTION 1: Identification of the substance/mixture and company/undertaking

1.1 Product identifier Medi Derma-S Total Barrier Film Wipe

Medi Derma-S Total Barrier Film Pump Spray 30ml

Medi Derma-S Total Barrier Film Applicators 1ml and 3ml

1.2 Relevant identified uses of the substance or mixture and uses advised against

Medical product to provide a transparent, quick drying and long-lasting film protection from moisture-associated skin damage on intact and

moderately damaged skin.

Uses advised against: not available.

1.3 Details of the supplier of the safety data sheet

Medicareplus International Limited, Chemilines House, Alperton Lane

London HA0 1DX, UK.

Tel: +44 (0)20 8810 8811; email info@medicareplus.co.uk.

1.4 Emergency telephone number

Tel +44 (0)20 8810 8811 (UK business hours).

UK: 111 (public NHS number for less urgent medical problems). Medical professionals can contact the National Poisons Information Service

(NPIS): 0344 892 0111.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to CLP Regulation (1272/2008)

Flam Liq 2, H225; Aquatic Acute 1, H400; Aquatic Chronic 2, H411.

See Section 16 'Other information' for full text of the H-statements.

2.2 Label elements





Signal word Danger

Hazard statements Highly flammable liquid and vapour.

Very toxic to aquatic life with long lasting effects.

Precautionary statements

prevention Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

response None. storage None.

disposal Dispose of contents/container to incineration in accordance with

local/national regulation.

Supplemental information

None

2.3 Other hazards One ingredient (octamethyltrisiloxane) is considered to meet the criteria

for very persistent and very bioaccumulative (vPvB).

Revision 1 Date: 18 July 2022

The product does not contain any ingredient identified as having endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures a,b

Declarable components	Conc. (wt%)	EC No.	CAS No.	REACH Reg. No.	Classification, supplemental hazards, ATE, M-factor, and SCL		
Hexamethyldisiloxane (HMDS)	50 to 75	203-492-7	107-46-0	NA	Flam Liq 2, H225; Aquatic Acute 1, H400; Aquatic Chronic 2, H411		
Octamethyltrisiloxane (OMTS)	10 to 25	203-497-4	107-51-7	NA	Flam Liq 3, H226		
Other components							
Not available							

a NA: not available.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation If inhalation is suspected of causing respiratory effects (eg irritation or

difficulties in breathing), remove product, and move person to fresh air and keep warm and at rest in a position comfortable for breathing. If

symptoms continue, call a doctor.

Skin Not expected to cause adverse effects. For skin contamination, wash

affected area with soap and water. Call a doctor if irritation, rash, or other

symptoms occur.

Eye In case of contact with eyes, rinse eye with room-temperature water or

eyewash solution, occasionally lifting eyelids. Call a doctor if irritation

persists.

Ingestion If in mouth, rinse mouth thoroughly with water and spit out rinsings. Water

may be given to drink if product has been swallowed. Get medical attention for any symptoms. Do not induce vomiting, unless instructed by

medical personnel.

4.2 Most important symptoms and effects, both acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptoms as they occur.

^b See Section 16 'Other information' for full text of the H-statements.

Revision 1 Date: 18 July 2022

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Water spray, foam, carbon dioxide, or dry chemical powder are suitable

for use with the product.

Unsuitable Not available.

5.2 Special hazards arising from the substance or

mixture

The product is supplied in small packages, but is classified as flammable. If involved in a fire, product will burn producing hazardous smoke, vapours and gases.

In bulk use, vapour at high concentration may form flammable or

explosive mixture with air.

5.3 Advice for firefighters Remove product from fire or cool them with water spray. Firefighters

should wear self-contained breathing apparatus and full protective

clothing.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Product is supplied in small packages (< 30 mL/item), which do not pose a hazard, and can be collected.

For bulk spills in professional setting, wear personal protection. Product spill may be slippery. Follow prescribed procedures for responding to all spillages.

6.2 Environmental precautions

Accidental release of the product is unlikely because it is placed on the market as small packages. The contains octamethyltrisiloxane which is considered to meet the criteria for very persistent and very bioaccumulative (vPvB).

Prevent spills of bulk material entering watercourses or drains.

6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible.

For small quantities, collect product or wipe off residue with cloth or paper.

For large quantities absorb onto inert material and sweep up.

Rinse contaminated surfaces with soap and water, and collect waste,

washings, and contaminated materials for safe disposal.

6.4 Reference to other sections

For recommended personal protective equipment, see Section 8.

For disposal considerations, see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid eye contact with the product. Wash hands after use.

7.2 Conditions for safe storage, including any incompatibilities

Store containers in a cool, dry place away from direct sunlight.

7.3 Specific end use(s)

Not available.

Revision 1 Date: 18 July 2022

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

EU limit values None.

National limit values UK: none.

Monitoring procedure Not applicable.

Other: human health (DNELs, DMELs)

HMDS: DNELs: workers, long-term exposure, systemic effects, inhalation, 53.4 mg/m³; workers, long-term exposure, systemic effects,

dermal, 333 mg/kg/day.

OMTS: DNELs: workers, long-term exposure, systemic effects, inhalation, 78 mg/m³; workers, long-term exposure, systemic effects,

dermal, 1103 mg/kg/day.

Other: environmental

(PNEC)

HMDS: PNECs: freshwater, 0.002 mg/L; sewage treatment plant, 10 mg/L; freshwater sediment, 8.9 mg/kg dry sediment; soil, 0.08 mg/kg dry

soil; oral, 5.3 mg/kg food.

OMTS: PNECs: freshwater sediment, 8.9 mg/kg dry sediment; oral, 1.7

mg/kg food.

8.2 Exposure controls

Engineering controls Not required for normal use of the finished product.

Use in a well-ventilated place (eg 3 air changes per hour) is

recommended for bulk professional use.

Personal protective

equipment

For handling in the workplace, the need for personal protective equipment

should be based on a risk assessment for the particular use.

Avoid skin contact by wearing chemical resistant gloves (eg nitrile rubber, 0.2 mm thickness). If extensive contact may occur, wear protective

clothing (eg apron).

Respiratory protective equipment not required for foreseen use.

PPE should conform to British (EN) standards, eg gloves EN 420 and 374; eye protection EN 166. Consult PPE manufacturers concerning

breakthrough times applicable to your particular use.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Physical state Liquid

(b) Colour Colourless

(c) Odour Characteristic

(d) Melting/freezing point Not available

(e) Boiling point or initial boiling point and boiling

100 °C

range

(f) Flammability Highly flammable liquid

Revision 1 Date: 18 July 2022

(g) Lower and upper Not available explosion limit

- 3.3 °C (closed cup) (h) Flash point

(i) Auto-ignition temp. Not available Decomposition temp. Not available Not available (k) pH

1 mm²/s at 25 °C Kinematic viscosity

(m) Solubility Water: product: not available; HMDS: 0.034 mg/L at 23 °C

(n) Partition coeff. n-HMDS: 6.6 at 25 °C octanol/water (log value)

Product: not available; HMDS: 530 Pa at 25 °C (o) Vapour pressure

(p) Density or rel. density 8.0

Not available (q) Relative vapour density

(r) Particle characteristics Not applicable to liquid

9.2 Other information Not classified as explosive or oxidising

SECTION 10: Stability and reactivity

10.1 Reactivity Not available.

10.2 Chemical stability Stable under recommended storage and handling conditions. No

hazardous polymerization.

10.3 Possibility of hazardous reactions

Not available.

High temperatures, or direct sunlight. Vapours may form explosive 10.4 Conditions to avoid

mixture with air. Highly flammable liquid and vapour.

10.5 Incompatible materials Strong acids, alkalis, and oxidising agents.

10.6 Hazardous decomposition products

Not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity Based on available data, the classification criteria are not met.

 ATE_{mix} (oral) > 2000 mg/kg; ATE_{mix} (dermal) > 2000 mg/kg.

(b) Skin corrosion/irritation Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

Serious eye Based on available data, the classification criteria are not met. damage/irritation

No relevant ingredient has been classified for this effect.

Revision 1 Date: 18 July 2022

(d)	Respiratory or skin sensitisation	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(e)	Germ cell mutagenicity	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(f)	Carcinogenicity	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(g)	Reproductive toxicity	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(h)	STOT-single exposure	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(i)	STOT-repeated exposure	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(j)	Aspiration hazard	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
11.2	2 Information on other hazards	Not available.

SECTION 12: Ecological information

12.1 Toxicity	Based on available data, the classification criteria are not met.
---------------	---

HMDS: LC50 (fish, 96 h) 0.46 mg/L (NOEC 0.11 mg/L); EC50 (Daphnia magna, 48 h) > 1000 mg/L (water-accommodated fraction); E_rC_{50} (algae,

70 h) > 0.55 mg/L, NOEC, 0.09 mg/L.

12.2 Persistence and degradability

HDMS: Half-life for hydrolysis (method OECD 111) at 24.8 °C: 1.4 (pH 5),

116 (pH 7) and 12.4 h (pH 9).

HMDS: Biodegradation: 2% in 28 d.

12.3 Bioaccumulative potential

One ingredient (octamethyltrisiloxane) is considered to meet the criteria

for very persistent and very bioaccumulative (vPvB).

12.4 Mobility in soil

HMDS: log K_{oc} 3.0 at 20 to 25 °C (calculated) (moderate sorption to soil).

12.5 Results of PBT and vPvB assessment One ingredient (octamethyltrisiloxane) is considered to meet the criteria

for very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

No ingredients have been identified with endocrine disrupting properties.

12.7 Other adverse effects The mixture is not classified as hazardou

The mixture is not classified as hazardous to the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Small consumer items may be disposed of in landfill. Disposal via the drains is not recommended. The product is suitable for incineration.

Bulk disposal must be via licensed waste disposal sites in accordance with national and local regulations.

In a professional setting, chemical residues generally count as special waste, and their disposal may be regulated. General requirements are

Revision 1 Date: 18 July 2022

given in the EU Waste Framework Directive (75/442/EEC) and the Hazardous Waste Directive (91/689/EEC), or GB equivalent.

SECTION 14: Transport information

14.1 UN Number UN 1993.

14.2 UN proper shipping

name

FLAMMABLE LIQUID N. O. S. (contains hexamethyldisiloxane).

14.3 Transport hazard

class(es)

3.

14.4 Packing group

II.

14.5 Environmental hazards

Classified as marine pollutant/environmentally hazardous.

14.6 Special precautions for

user

International Maritime Dangerous Goods (IMDG) Code: Emergency

response procedures (EmS Code): F-E, S-E.

14.7 Maritime transport in bulk according to IMO

instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK: Control of Substances Hazardous to Health Regulations 2002 (COSHH), as amended.

COSHH Essentials: Easy Steps to Control Chemicals; HSE Books 2003 (also available on the HSE web site).

Workplace Exposure Limits EH40/2005 (Second edition, published 2011), Health and Safety Executive.

Product is regulated as a medical device according to EU Regulation 2017/745.

Community rolling action plan (CoRAP):

Octamethyltrisiloxane (L3), EC 203-497-4, CAS 107-51-7, has a substance evaluation conclusion (REACH Article 48) and is considered to meet the criteria for very persistent and very bioaccumulative (vPvB). HMDS, EC 203-492-7, CAS 107-46-0, is being assessed for concerns over carcinogenicity and PBT.

15.2 Chemical safety assessment

Not available.

SECTION 16: Other information

Revisions This SDS is the first version in EU format, using classification according

to the CLP Regulation or GB equivalent.

Abbreviations ATE, acute toxicity estimate; DNEL, derived no-effect level; DMEL,

derived minimum effect level; EC, effect concentration; LC, lethal concentration; OECD, Organisation for Economic Co-operation and Development; PBT, persistent, bioaccumulative, and toxic; PNEC,

Revision 1 Date: 18 July 2022

predicted no-effect concentration; vPvB, very persistent, very

bioaccumulative.

References Search for chemicals; available at the European Chemicals Agency

website: http://echa.europa.eu/.

This safety data sheet conforms to Regulation (EC) 1907/2006 as

amended by Regulation (EU) 2020/878.

Basis of classification The mixture is classified on the basis of available information on the

ingredients.

List of hazard statements H225: Highly flammable liquid and vapour; H226: Flammable liquid and

vapour; H400: Very toxic to aquatic life; H411: Toxic to aquatic life with

long lasting effects.

Safety data sheet compiled by Alchemy Compliance Ltd. on the basis of information provided by the supplier.